



€ 24,99

[De Medische Tester](#)

Gratis levering

[Prijzen vergelijken van 2 winkels](#)



HIV sneltest ByMe

€ 29,95

[Soapoli-online](#)

€ 3,75 verzendkosten



ByMe - HIV Zelftest - SOA Test

€ 29,95

[bol.com](#)

Gratis levering

Onderzoek

Auto-immuunziekten en ontstekingsziekten

- 🕒 9 tot 18 dagen
- 🔄 5 tot 11 keer terugkomen

Vergoeding

€ €4279,- bruto

ICON
geneesmiddelenonderzoek





ABOUT HIV

HIV (human immunodeficiency virus) is a virus that attacks the body's immune system. If HIV is not treated, it can lead to AIDS (acquired immunodeficiency syndrome). Learning the basics about HIV can keep you healthy and [prevent HIV transmission](#). You can also download materials to share or watch videos on basic information about HIV.




[Low Resolution Video](#)

What is HIV?

- HIV (human immunodeficiency virus) is a virus that attacks the body's immune system. If HIV is not treated, it can lead to [AIDS](#) (acquired immunodeficiency syndrome).
- There is currently no effective cure. Once people get HIV, they have it for life.
- But with proper medical care, HIV can be controlled. People with HIV who get [effective HIV treatment](#) can live long, healthy lives and protect their partners.





List of AIDS-Defining Illnesses

The current list of AIDS-defining illnesses according to the CDC are^[2] :

- Bacterial infections, multiple or recurrent
- [Candidiasis](#) of bronchi, trachea, or lungs
- Candidiasis of the esophagus
- Cervical cancer (invasive)
- [Coccidioidomycosis](#), disseminated
- Cryptococcosis, presenting outside of the lung
- Cryptosporidiosis, chronic intestinal for longer than one month
- Cytomegalovirus (CMV) with loss of vision
- [Cytomegalovirus](#) disease (other than in the liver, spleen, or lymph nodes)
- [Encephalopathy](#) (HIV-related, also known as AIDS dementia complex)
- [Herpes simplex virus](#) (HSV), lasting longer than a month or appearing in an area other than the skin (such as esophagus or lungs)
- Histoplasmosis, disseminated
- [Kaposi's sarcoma](#) (KS)
- Lymphoid interstitial pneumonia or pulmonary lymphoid hyperplasia complex
- [Burkitt lymphoma](#) (or equivalent term)
- Immunoblastic lymphoma (or equivalent term)
- [Primary lymphoma](#) of the brain
- [Mycobacterium avium complex](#) or *Mycobacterium kansasii*, disseminated
- [Mycobacterium tuberculosis](#) of any site in or out of the lungs
- *Mycobacterium* or similar species, disseminated beyond the lung
- Pneumocystis pneumonia caused by the fungus *Pneumocystis jiroveci*
- [Pneumonia](#), recurrent
- [Progressive multifocal leukoencephalopathy](#) (PML)
- [Salmonella septicemia](#), recurrent
- [Toxoplasmosis](#) of the brain
- [Tuberculosis](#)
- [Wasting syndrome](#)

A family of human T-cell lymphotropic retroviruses (HTLV) comprises

two major and well characterized subgroups of human retroviruses, called

Human T-cell Leukemia/Lymphoma viruses

HTLV-I () and HTLV-II (), and recently, a new variant of HTLV

has been isolated from a patient with lymphadenopathy named also as lymphadenopathy associated virus (LAV) () which is described here as

HTLV-III. The most common isolate obtained from patients with mature T-cell malignancies is HTLV-I (). Seroepidemiological and nucleic acid

hybridization data indicate that HTLV-I, ~~including its new subtype~~, is etiologically associated with T-cell leukemia/lymphoma of adults ().

The disease clusters in the south of Japan (), the Caribbean (), Africa () and can be found in other parts of the world. HTLV of sub-

group II (HTLV-II) was first isolated from a patient with a ~~benign~~^{chronic} form of a T-cell variant of hairy cell leukemia (). To date, this virus ~~represents~~

^{is reported of HTLV-II} the only isolate obtained from a patient with neoplastic disease.

However, isolation of retroviruses and seroepidemiological data suggest

that HTLV of both ~~subgroups, including new variants from subgroup III~~, may be ~~involved in the pathogenesis of~~^{associated with and possibly the} the acquired immune deficiency syndrome

(AIDS) (). *Here we report development of a system for routine detection & isolation of these and HTLV variants in patients*
Epidemiologic data strongly suggest that AIDS is caused by an infecti-

JUST DO NOT BELIEVE IT. YOU ARE ABSOLUTELY INCREDIBLE

routine detection & isolation of these and HTLV variants in patients with AIDS

NATIONAL
CANCER
INSTITUTE



FREDERICK CANCER
RESEARCH FACILITY

P.O. Box 8, Frederick, Maryland 21701

MAR 27 1984

March 26, 1984

Dr. Mika Papovic
Laboratory of Tumor Cell Biology
NIH
Building 37, Room 6B22
Bethesda, MD 20205

Dear Mika:

I am sending you 4 extra copies of results requested by Betsy Read. She said Dr. Gallo wanted these micrographs for publication because they contained HTLV particles. If this assumption is based on the cultures being antigen positive, I would like to point out that the "particles" in micrograph 0905 are in debris of a degenerated cell. No other extracellular "virus-like particles" were observed free between cells anywhere in the pellet. The small extracellular vesicles in 0904 are at least 50% smaller than HTLV mature particles seen in type I, II, or III. Again, these vesicles can be found in any cell pellet. I do not believe any of the particles photographed are HTLV I, II, or III.

Best regards,

Matthew A. Gonda, Ph.D.
Head, Electron Microscopy Laboratory

MAG:jah

Enclosures

cc: ~~Dr.~~ Gallo
Betsy Read

 E-mail this to a friend

 Printable version

Smallpox demise linked to spread of HIV infection

The worldwide eradication of smallpox may, inadvertently, have helped spread HIV infection, scientists believe.

Experts say the vaccine used to wipe out smallpox offered some protection against the Aids virus and, now it is no longer used, HIV has flourished.



By 1980 smallpox had been eradicated

The US investigators said trials indicated the smallpox jab interferes with how well HIV multiplies.

But they say in the journal BMC Immunology it is too early to recommend smallpox vaccine for fighting HIV.

Kill no cure

Lead researcher Dr Raymond Weinstein, from Virginia's George Mason University, said: "There have been several proposed explanations for the rapid spread of HIV in Africa, including wars, the reuse of unsterilised needles and the contamination of early batches of polio vaccine.

"However, all of these have been either disproved or do not sufficiently explain the behaviour of the HIV pandemic."

Dr Weinstein and his colleagues believe immunisation against smallpox may go some way to explain the recent rises in HIV prevalence.

“ It is a plausible explanation ”

Jason Warriner, clinical director for the Terrence Higgins Trust

SEE ALSO

- ▶ How doctors killed off smallpox
03 Jul 05 | Health
- ▶ Smallpox jab HIV claims rejected
12 Sep 03 | Health

RELATED INTERNET LINKS

- ▶ BMC Immunology
- ▶ Terrence Higgins Trust

The BBC is not responsible for the content of external internet sites

TOP HEALTH STORIES

- ▶ Stem cell method put to the test
- ▶ Hospitals 'eyeing private market'
- ▶ Low vitamin D 'Parkinson's link'

 | News feeds

MOST POPULAR STORIES NOW

SHARED READ WATCHED/LISTENED

- 1 BBC News
- 2 BBC News
- 3 BBC News

Researchers Warn Some Covid-19 Vaccines Could Increase Risk Of HIV Infection



Robert Hart Forbes Staff

Business

I cover breaking news.

Follow



Listen to article 3 minutes




TOPLINE Some of the Covid-19 vaccines currently in development could increase the risk of acquiring HIV, warned a group of researchers in the *The Lancet* medical journal Monday, potentially leading to an increase in infections as vaccines are rolled out to vulnerable populations around the world.



Case Report | [Open Access](#) | [Published: 26 October 2021](#)

Acute HIV infection syndrome mimicking COVID-19 vaccination side effects: a case report

[Julian Triebelhorn](#) , [Stefanie Haschka](#), [Felix Hesse](#), [Johanna Erber](#), [Simon Weidlich](#), [Marcel Lee](#), [Dieter Hoffmann](#), [Josef Eberle](#) & [Christoph D. Spinner](#)

AIDS Research and Therapy **18**, Article number: 78 (2021) | [Cite this article](#)

4770 Accesses | **245** Altmetric | [Metrics](#)

Abstract

Background

Symptoms of primary HIV infection, including fever, rash, and headache, are nonspecific and are often described as flu-like. COVID-19 vaccination side effects, such as fever, which occur in up to 10% of people following COVID-19 vaccination, can make the diagnosis of acute HIV infection even more challenging.

Case presentation

A 26-year-old man presented with fever and headache following COVID-19 vaccination. The

Triple Vaccinated are developing Acquired Immunodeficiency Syndrome at an alarming rate according to Government data

BY THE EXPOSÉ ON JANUARY 21, 2022 • (35 COMMENTS)



Listen Now

An investigation of 5 months worth of official UK Government data confirms predictions previously made by The Expose that the Covid-19 “booster” dose would provide a very short lived temporary boost to the immune systems of the vaccinated population before continuing to decimate their immune systems but at a much more rapid pace.

In short, official UK Government data strongly suggests that the Covid-19 vaccinated population are developing some new form of Covid-19 vaccine induced acquired immunodeficiency syndrome at an alarming rate.

The UK Health Security Agency (UKHSA) publish a weekly Vaccine Surveillance Report, with each report containing four weeks worth of data on Covid-19 cases, hospitalisations, and deaths by vaccination status. For our investigation we analysed 5 of these published Vaccine Surveillance Reports containing data from August 16th 2021 to January 2nd 2022. in order to get a clear picture on



Vaccine's can offer specific protection but studies suggest there may be unintended consequences to our immune system. (ustas777777/Shutterstock)

PREMIUM VIEWPOINTS

How COVID Shots Suppress Your Immune System




Joseph Mercola

February 7, 2022 Updated: February 7, 2022

A A  Print

Commentary

In a non-peer-reviewed research paper just this week published, Stephanie Seneff, Ph.D., describes a mechanism of the COVID shots that results in the suppression of your innate immune system. It does this by inhibiting the type-1 interferon pathway.



EUGENICS

SARS-Cov-2 is HIV and Dr. Anthony Fauci Holds the Patents!

In 2020 Indian Scientists Discovered COVID-19 Was Engineered with AIDS-Like Insertions – Emails Show Fauci Called It “Outlandish” which led to the Published Study Being Withdrawn

By Joe Hoft

Published June 8, 2021 at 8:20am

Comments

f Share

🐦 Tweet

Share to Gab

Telegram

Share



Dr Anthony Fauci Threatened Indian Scientists To Withdraw Study Linking COVID-19 To AIDS Virus

June 6, 2021

Last year group of Indian scientists discovered that [coronavirus was engineered with AIDS like insertions](#). After [GreatGameIndia](#) published the results of the study, it attracted heavy criticism to an extent that the authors were forced to retract their paper. Now, Fauci Emails reveal that it was [Dr Anthony Fauci himself who threatened the Indian scientists](#) and forced them to withdraw their study linking COVID-19 to AIDS virus.



Join our Telegram channel

UPDATE on this article: [How Top British Scientists Covered Up COVID-19 Bioweapons Research](#)

इस लेख को हिंदी में पढ़ें: [जब डॉ. एंटनी फौसी ने दी भारतीय वैज्ञानिकों को COVID-19 को एड्स तायरस से जोड़ने वाले अध्ययन को तापस लेने की शपथ](#)

Did Controversial AZT Treatment Kill More Patients than AIDS in '80s, '90s?

Commonly called AZT, azidothymidine was originally produced to treat cancer two decades prior to the HIV epidemic.

By Madison Dapceвич

Published 21 September 2021



Remember that one time in the 80's-90's when people died from the AIDS treatment (AZT) and not the actual AIDS virus? Remember that one doctor who promoted that treatment?



MISLEADING

SOMETIMES IT TAKES A HUSTLER TO CHANGE THE WORLD

MATTHEW McCONAUGHEY

DALLAS BUYERS CLUB

TRUTH ENTERTAINMENT and VOLTAGE PICTURES present a TRUTH ENTERTAINMENT / VOLTAGE / EVOLUTION INDEPENDENT / KP FILMS production in association with JEAN-MARC VALLÉE, MATTHEW McCONAUGHEY, "DALLAS BUYERS CLUB" JENNIFER GARNER and JARED LETO with KERRY BARDEN, PAUL SCHNEZ and RICH DELIA with KURT AND DARYL and JOHN MARC MURPHY, MARTIN PENSA
EXECUTIVE PRODUCERS JOHN PRIMO, JOSHUA TYLES BELANGER, PRODUCED BY MICHAEL SLEED, DIRECTED BY DAVID BUSHELL, NATHAN ROSS, TONY NITARGIACOMO, JOE NEWCARD, NICOLAS CHARTER, ZEV FOREMAN, LOGAN LEVY, HOLLY WERSMA, CASSIAN EWES, WRITTEN BY BOBBIE BRENNER, RACHEL WINTER, PRODUCED BY CRAIG BORTEN, MELISA WALLACK, DIRECTED BY JEAN-MARC VALLÉE

**"McCONAUGHEY
IS A TRIUMPH"**

THE GUARDIAN

**"A MESMERISING LEAD
PERFORMANCE"**

SCREEN

**"HUGELY
ENTERTAINING"**

WALL STREET JOURNAL

"AN AMAZING FILM"

GLAMOUR



MH17 crash: Aids researchers heading to Melbourne believed among dead

Scientists were on route to the 20th international Aids conference, due to start on Sunday



Debris from the crashed plane in Grabovo. Photograph: Pierre Crom/Getty Images Photograph: Pierre Crom/Getty Images

Delegates to a key Aids conference in Australia are believed to have been on board the Malaysia Airlines plane that has crashed in [Ukraine](#).

Scientists, researchers and other professionals were on their way to Aids 2014, the 20th international Aids conference in Melbourne. The event, to be held between 20 and 25 July, will feature former US president Bill Clinton and